Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

1 Identification

· **Product identifier**

· **Trade name:** **Doctor Washer Liquid Oxy**

· **Article number:** 7708

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
DOCTOR WASHER LAUNDRY PRODUCTS INC.,
107 NORTH PROSPECT AVENUE
PATCHOGUE, NY 11772
TELEPHONE: 516-983-5315

· **Information department:** Product safety department
· **Emergency telephone number:** INFOTRAC - 1-800-535-5053

2 Hazard(s) identification

· **Label elements**
· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS03 GHS05

· **Signal word** Danger
· **Hazard statements**
May cause fire or explosion; strong oxidizer.
Causes serious eye damage.
· **Precautionary statements**
Take any precaution to avoid mixing with combustibles.
Wear fire/flame resistant/retardant clothing.
Keep/Store away from clothing and other combustible materials
Wear protective gloves / eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
In case of fire: Use for extinction: CO2, powder or water spray.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy


(Contd. of page 1)

· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 3
Reactivity = 0

The substance possesses oxidizing properties.
· **HMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 3
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Components:**		
7722-84-1	hydrogen peroxide solution	Prop.%

4 First-aid measures

· **Description of first aid measures**
· **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Immediately rinse with water.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Immediately call a doctor.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 2)

· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Handling:**
· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
7722-84-1 hydrogen peroxide solution	
PEL	Long-term value: 1.4 mg/m³, 1 ppm
REL	Long-term value: 1.4 mg/m³, 1 ppm
TLV	Long-term value: 1.4 mg/m³, 1 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 3)

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	In water
Color:	Colorless
· **Odor:**	undistinguishable
· **Odor threshold:**	Not determined.
· **pH-value at 20 °C (68 °F):**	3.5
· **Change in condition**	
Melting point/Melting range:	Undetermined.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 4)

Boiling point/Boiling range:	100 °C (212 °F)
· **Flash point:**	Not applicable.
· **Flammability (solid, gaseous):**	Not applicable.
· **Ignition temperature:**	
Decomposition temperature:	Not determined.
· **Auto igniting:**	Product is not selfigniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapor pressure at 20 °C (68 °F):**	23 hPa (17 mm Hg)
· **Density at 20 °C (68 °F):**	1.08 g/cm³ (9.013 lbs/gal)
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with**	
Water:	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	Not determined.
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**
· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** Strong irritant with the danger of severe eye injury.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 5)

· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

· **Carcinogenic categories**

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behavior in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**	
· **DOT, IMDG, IATA**	UN2984

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 6)

· **UN proper shipping name**	
· **DOT, IATA**	Hydrogen peroxide, aqueous solutions
· **IMDG**	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· **Transport hazard class(es)**	
· **DOT**	



· **Class**	5.1 Oxidizing substances
· **Label**	5.1
· **IMDG, IATA**	



· **Class**	5.1 Oxidizing substances
· **Label**	5.1
· **Packing group**	
· **DOT, IMDG, IATA**	III
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Oxidizing substances
· **Danger code (Kemler):**	50
· **EMS Number:**	F-H,S-Q
· **Stowage Category**	B
· **Stowage Code**	SW1 Protected from sources of heat.
· **Segregation Code**	SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" permanganates SG72 See 7.2.6.3.2.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **DOT**	
· **Quantity limitations**	On passenger aircraft/rail: 2.5 L On cargo aircraft only: 30 L
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 7)

· **UN "Model Regulation":**	UN 2984 HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS, 5.1, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**

7722-84-1	hydrogen peroxide solution

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**
None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

7722-84-1	hydrogen peroxide solution	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.

· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS03 GHS05

· **Signal word** Danger
· **Hazard statements**
May cause fire or explosion; strong oxidizer.
Causes serious eye damage.
· **Precautionary statements**
Take any precaution to avoid mixing with combustibles.
Wear fire/flame resistant/retardant clothing.
Keep/Store away from clothing and other combustible materials

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/17/2015 Reviewed on 01/26/2015

Trade name: Doctor Washer Liquid Oxy

(Contd. of page 8)

Wear protective gloves / eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
In case of fire: Use for extinction: CO2, powder or water spray.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.
· **Contact:** Enviornmental Department
· **Date of preparation / last revision** 12/17/2015 / -
· **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Liq. 1: Oxidising Liquids, Hazard Category 1
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1